

Alphabetical index

	Page
Alphabetical index	10-2

Alphabetical index

Numerics

1-pole, 2-pole circuit8-4

A

ACB7-3

Accessories contactors5-60

Actuation, positive3-10

Adjustable roller lever3-10

AGM6-21

Air circuit-breakers7-3

All about Motors8-1

AND circuit5-45

Angled roller lever3-10

Approval authorities worldwide9-28

AS-Interface® data bus2-87

Asynchronous motors2-2

ATEX accreditation

Motor protection system ZEV5-68

Overload relay5-64

Thermistor machine protection device EMT65-74

ATEX approval

EMT68-11

PKZM0, PKZM46-4

Rotary switches4-17

Switch-disconnectors4-17

Automatic reset8-3

Automatic stator starters

Engineering starting resistor8-13

Engineering starting transformer8-13

Example resistors8-89

Example starting transformers8-92

Properties squirrel cage rotor8-14

Automation systems1-1

Auxiliary contact

Contact sequence7-5

Early-make auxiliary contact HIV7-6

PKZ26-21

PKZM01, PKZM0, PKZM46-7

Standard auxiliary contact7-5

Trip-indicating auxiliary contact7-5

Alphabetical index

B

Basic circuit

Changeover circuit	5-46
Hold-on circuit	5-46
Impulse changeover relay	5-47
Negation	5-44
Parallel switching	5-45
Permanent contact	5-44
Series circuit	5-45
Star/delta starting easy	5-48

Basics of drives engineering	2-7
------------------------------------	-----

Bimetal

Motor protection	8-12
Motor-protective circuit-breaker	6-4
Overload relay	5-64

Block diagrams

PKZ2	6-22–6-33
PKZM01, PKZM0, PKZM4	6-10–6-15

Braking oversynchronous	8-57
-------------------------------	------

Braking resistor	2-82
------------------------	------

Bridging during starting

Contactor	8-8
Heavy starting duty	8-9
Overload relays	8-25

Busbar, flexible	2-87
------------------------	------

Bus-enabled motor starters

→ Networkable motor starters	1-8
------------------------------------	-----

Bypass connection	2-46
-------------------------	------

C

Cage Clamp	5-61
------------------	------

CAN cable	1-15
-----------------	------

CANopen	1-6
---------------	-----

Capacitor

Group compensation	8-15, 8-16
Individual compensation	8-15
Use of reactors	8-16

Capacitor group compensation	8-16
------------------------------------	------

Capacitor unit	7-15
----------------------	------

Cascaded control	2-50
------------------------	------

Changeover switch

Voltage meters	4-12
----------------------	------

Alphabetical index

Changeover switches	4-5
Ammeters	4-12
Wattmeters	4-13
Circuit diagram	
Circuit-breaker internal circuit diagrams	7-7
General	8-17
Circuit diagram auxiliary protection	5-6
Circuit documents	
Circuit diagram	8-17
General	8-17
Wiring diagram	8-18
Circuit examples	
Bridging during starting	8-25
Contactors	8-24
Circuit-breaker remote switching	7-9
Circuit-breakers	
Internal circuit diagrams	7-7
IZM	7-3
Mesh network circuit-breaker	7-15
NZM	7-2
Remote operation	7-16
Residual-current release	7-18
Switch position	7-13
Transformer switch	7-17
Classification types of soft starters	2-18
Coil functions	5-41
Combicon connector	1-15
COM-LINK connection	5-38
Compact circuit-breakers	7-2
Compact PLC	1-2
compact starter	6-3
Compensated motor	8-10
Conductors	9-81
Conductors, characteristic impedance	5-34
Connection	
RA-MO to AS-Interface®	2-90
RA-SP to AS-Interface®	2-93
Sensors (RA-MO)	2-90
Connection examples	
DF5, DV5	2-69–2-75
DF6	2-77–2-79
DM4	2-54–2-67
DS4	2-38–2-53
DV6	2-80–2-85

Alphabetical index

Connection examples, DF5	2-69–2-75
Connection examples, DF6	2-77–2-79
Connection examples, DM4	2-54–2-67
Connection examples, DS4	2-38–2-53
Connection examples, DV5	2-69–2-75
Connection examples, DV6	2-80–2-85
Connection type	
Delta connection	2-4
Star connection	2-4
Contact module PKZ2	6-17
Contact module PKZM0	6-4
Contact protection relay	5-75
Contact sequence of the auxiliary contacts	7-5
Contactor DILM	5-58
Contactor for capacitor	8-100
Contactor relay modules	5-2
Contactor relays	5-2
Characteristic letter	5-3
Circuit diagram	5-6
Contactor, marking	8-23
Contactors	5-58
DIL	5-58
DILM	5-61
DILP	5-63
Contacts, positively opening	3-12
Control circuit devices	
For direct-on-line start	8-36
For star-delta	8-49
RMQ	3-2
Control circuit devices for multi-speed contactors ..	8-67–8-71
Control circuit supply motor	8-22

Alphabetical index

Control relay	
Basic circuits	5-44–5-49
Circuit operation	5-49
Coil functions	5-41
COM-LINK connection	5-38
Contacts	5-40
Display text	5-55
easy500 and easy700	5-17
Fast counter,	5-24
Field bus connection	5-39
Frequency generator	5-24
Function blocks	5-40
Incremental encoder	5-24
Overview	5-12
Parameter sets for times	5-42
Power supply	5-18
Relay outputs	5-25
Remote display	5-37
Remote display, text display	5-16
Shift register	5-53
Stairwell lighting	5-50
Star/delta starting	5-48
Transistor outputs	5-26
Co-ordination type motor protection	8-7
Current limiter	6-5, 6-17
Current limiter PKZ2	6-32
Current monitor	5-78
Current transformer-operated relay ZW7	8-7

10

D

DC motors	8-4
Degrees of protection for electrical equipment	9-58
Delta circuit	2-24
Delta circuit, motor	2-74
Delta connection	2-4, 2-62
Device arrangement, XC100/XC200	1-14
DeviceNet	1-6
DF5, DF6	2-26
Diagnosis tripping cause	5-68
Differential current	7-19
DIL	5-59
DIL...K	8-16
DILA	5-2

Alphabetical index

DILER	5-2
DILM	5-61
DILP	5-63
Diode suppressor	5-4
Direct-on-line starter, motor-protective circuit-breaker	6-3
Display and operator units, HMI	1-12
Display PLC	
→ Embedded HMI-PLC	1-13
DIUL	8-28
DM4	2-22
DOL starters with bypass	2-21
DOL starting	
Features	2-10
General	2-5
Double break	5-2
Double-frame terminal	5-61
Drives	2-1, 2-7
DS4	2-19
DV5, DV6	2-26
E	
Early-make auxiliary contact HIV	7-6
Earth fault current	5-67
Earth-fault monitoring	5-70
Earth-leakage circuit-breaker	7-19
EEx e motors	
Overload relay	5-64
PKZM0, PKZM4	6-4
Electr. motor starters, drives general	2-2
Electrical connector	6-5
Electronic safety relay ESR	5-77
Electronic timing relays	5-8
EM4	1-19
Embedded HMI-PLC	1-13
EMC measures	2-32
EMC-compliant connection	2-31
Emergency-Stop function	7-10
EMR4	5-78
EMT6	5-74
Encoder	2-82

Alphabetical index

Engineering

EM4 and LE4	1-19
Motor	8-13–8-16
PS4	1-16
Switching of capacitors	8-15
Three-phase automatic starters	8-13
Wiring example, XC100/XC200	1-14
XC100/XC200	1-14
ESR	5-77
Evaluation device ZEV	5-68
Expansion easy , MFD-Titan	
Central and decentral	5-30
Network connection	5-33
Network connection EASY-NET	5-31
Overview	5-29
Explosive atmospheres	4-17

F

Fast counter,	5-24
Fault indication, differential	6-12
Field bus connection	5-39
Flat cable	2-87
Flexible busbar	2-87
Four pole contactor → Contactor DILP	5-63
Frequency generator	5-24
Frequency inverters, design	2-26
Frequency inverters, general	2-7
FU → Frequency inverters	2-7
Function blocks	5-40
Fuseless	
Contactor DIL	8-24
Reversing contactor DIUL	8-28
Fuses contactor DIL	8-24

G

Galvanic separation	5-2
German Trade Association	3-10
Graphic operator panel	1-12
Group compensation	8-15
Group protection	6-6

Alphabetical index

H

Hamburg circuit, off position interlock	8-108
Heater switches	4-14
Heavy starting duty	
Bridging during starting	8-9
Example	8-26
Motor protection	8-7
HIA example	7-13
HIA, contact sequence	7-5
High-capacity compact starters	6-22
HIN example	7-13
HIN, contact sequence	7-5
HIV	7-6
HMI	1-12
HMI-PLC	
Embedded	1-13
Hold-on circuit	5-46

I

I/O system	1-6
I/Oassistant	1-7
I/Oassistant diagnostics software	1-7
I/Oassistant engineering software	1-7
Impulse changeover relay	5-47
Indication of tripping circuit-breaker	7-13
Individual compensation	8-15
Infra-red touch panel	
→ Embedded HMI-PLC	1-13
Infra-red touch panels	
→ Touch operator panels	1-12
In-line circuit	2-24
Inputs	
Analog	5-21–5-23
Digital, AC devices	5-19
Digital, DC devices	5-20
Insulation monitoring relay	5-80
Interface assignment, XC100/XC200	
CANopen	1-15
Interlock circuits, rotary switches	4-11
Interlocking	5-2
IT	8-20
IZM	7-3

Alphabetical index

L

LE4	1-19
Let-through energy	2-89
Level monitoring relay	5-79
Limiters, current	
→ Current limiter PKZ2	6-32
→ Current limiter PKZM0, PKZM4	6-5
Load-shedding contact	4-4
Local expansion → PS40 Series networking	1-10
Logic table	5-44–5-46
LSI	3-17
LSO	3-19
LS-Titan	3-12

M

Main switch	7-10
Main transfer switch	8-109
Maintenance switches, rotary switches	4-4
Markings, contactor	8-23
Master switch, off position interlock	8-109
MCCB	7-2
Measurement and monitoring relay EMR4	5-78
Mechanical interlock	5-61
Mesh network circuit-breaker	7-15
Mirror contact	5-62
Modular PLC → PS40 Series networking	1-10
Modular PLCs	1-2
Moeller	
Motor-protective circuit-breaker PKZ	6-2
Motor-protective circuit-breakers PKZ2	6-16
Monitoring relay	5-78

Alphabetical index

Motor	
Circuit documents	8-17
Control circuit device direct-on-line start	8-36
Control circuit supply	8-22
Engineering	8-13–8-16
Motor windings	8-54
Multi speed switch PKZ2	8-87
Multi-speed contactor	8-57
No. of poles	8-51
Pole changing	8-51–8-53
Power supply	8-19
Separate windings	8-51
Star-delta of three-phase motors	8-37–8-45
Star-delta with PKZ2	8-46–8-48
Starting with PKZ2	8-32–8-35
Switching of capacitors	8-98–8-101
Switching on three-phase motors	8-24–8-31
System transfer	8-109
Tapped winding	8-51
Motor connection	2-93
Motor control unit	2-90
Motor full-load current	9-77
Motor operator circuit-breaker	7-16
Motor overload relay, motor protection	5-64
Motor overload relays Z, overview	5-58
Motor power supply	8-19
Motor protection	8-3–8-12
Motor protection system ZEV	5-67–5-73
Motor protection system ZEV, overview	5-58
Motor rating	5-61
Motor starter combination	
→ Networkable motor starters	1-8
Motor starter combinations	6-5
Motor starters, electronic	2-1
Motor windings	8-54
Motor-protective circuit-breaker, overview	6-1
Motor-protective circuit-breakers	
Operating principle schematic PKZ2	6-22–6-33
Operating principle schematics	
PKZM01, PKZM0, PKZM4	6-10–6-15
Motor-protective circuit-breakers PKZ2	6-16
Motor-starter combination MSC	6-5
Mounting	5-73
xStart	1-8

Alphabetical index

MSC	6-3
Multi Function Display	
COM-LINK connection	5-38
Contacts	5-40
Fast counter	5-24
Field bus connection	5-39
Frequency generator	5-24
Function blocks	5-40
Incremental encoder	5-24
MFD-Titan and easy800	5-17
Overview	5-12
Power supply	5-18
Relay outputs	5-25
Remote display	5-37
Remote display, text display	5-16
Transistor outputs	5-26
Visualisation	5-56
Multi speed switch for three-phase motors	8-59–8-66
Star-delta	8-72–8-86
Multi speed switch with PKZ2	8-87
Multi-speed contactor	8-57
Control circuit devices	8-67–8-71
Star-delta	8-72
Multi-speed switch	
Bridging during starting	8-9
Multi-speed switches	
Rotary switches	4-7
Multi-speed switching, marking	8-23
N	
NAND circuit	5-45
Network connection	
Bus terminal resistor	5-33
Conductors	5-34
Interface element	5-36
Network cable	5-33
Sockets, plugs	5-33
Networking	
Display and operator units	1-12
Embedded HMI-PLC	1-13
PS40 Series	1-10
xSystem	1-11
NHI example	7-13

Alphabetical index

NHI, contact sequence	7-5
NHI, PKZ2	6-21
NOR circuit	5-45
NOT gate	5-44
NZM	7-2
NZM-XCM	7-15

O

Off-delayed undervoltage release	7-4
Off-position interlock	
Hamburg circuit	8-108
Load	8-108
Master switch	8-109
Ohm's Law	9-90
On-delayed timing relay	5-47
Operands	5-40
Operating frequency	8-3
OR circuit	5-45
Output easy, MFD analogue	5-28
Overload motor	5-67
Overload motor-protective circuit-breaker	6-2
Overload protection contactor	8-24
Overload protection, Rapid Link	2-88
Overload relay	2-55
Overload relay → Motor protection overload relay	5-64
Overload relay function	6-16
Overload relay function PKZ2	6-33
Overload relay time-delayed	8-5
Overload relays	
In delta circuit	8-38
In motor winding	8-37
In the mains line	8-37
Tripping	8-3
Oversynchronous braking	8-57
Overvoltage	2-55

P

Personnel protection	
AT	3-13
ATR	3-16
Enhanced	3-14
PFR	7-19
Phase failure	5-67

Alphabetical index

Phase imbalance relay	5-79
Phase monitoring relay	5-78
Phase sequence relay	5-79
Phase-failure sensitivity	5-64
PKM0	6-5
PKZ	6-2
PKZ2	6-2
PKZM0	6-2
PKZM01	6-2
PKZM0-T	6-5
PKZM4	6-2
PLC	1-2
Pole-changing motors	8-51–8-53
Power bus	2-87
Power electronics	2-7
Power feed	2-88
Power supply	
easy	5-18
MFD-Titan	5-18
Process protection	3-15
PROFIBUS-DP	1-6
Programmable contacts	5-68
Programmable logic controllers, PLCs	1-2
Programming software	1-2
Protective measures	9-34
PS4	1-16
PS4 compact PLC → PS40 Series networking	1-10
PS4 wiring examples	1-16–1-18
PS40 Series	1-2
PTC Thermistor , Thermistor machine protection relay	5-74
PTC-thermistor, motor protection	8-11
Pump connection	2-48
Pump control	
Liquid-level actuated switch	8-106
Pressure switch	8-104
Two pumps	8-102
Pushbutton control circuit devices	8-67
Push-through sensor ZEV	5-68
Q	
Quick-discharge resistor	8-98

Alphabetical index

R

Rapid Link	2-86
RC suppressor	5-4
Reference letter contactor relays	5-3
Reflected-light barrier	3-19
Reflected-light beam	3-19
Relay	5-74
Remote display	5-37
Remote expansion → PS40 Series networking	1-10
Remote I/O → XI/ON	1-6
Remote operator circuit-breaker	7-16
Remote operator PKZ2	6-18
Remote switch off PKZ2	6-29
Remote switch off PKZM01, PKZM0, PKZM4	6-13
RE-PKZ2	6-18
Residual current protection	7-18
Residual current release	7-18
Residual-current relay	7-19
Residual-current release circuit-breaker	7-18
Resistive touch panel	
→ Embedded HMI-PLC	1-13
→ Touch operator panel	1-12
Reversing combination → reversing contactor	8-28
Reversing contactor	8-28
Reversing soft starter	2-43
Reversing star-delta	
Rotary switches	4-6
Reversing start delta	
Changing direction or rotation	8-44
Reversing	8-43
Reversing starter, motor-protective circuit-breaker	6-3
Reversing starters, soft starters	2-21
Reversing switches	4-5
RHI example	7-13
RHI, contact sequence	7-5
Risk reduction	9-56
RMQ16	3-2
RMQ-Titan®	3-4
Rogowski principle	5-67
Rogowski sensor	5-73
Roller lever	3-10
Roller plunger	3-10

Alphabetical index

Rotary switches	
ATEX approval	4-18
Changeover switches	4-5
Heater switches	4-14
Interlock circuits	4-11
Main switches	4-3
Maintenance switches	4-3
Meter selector switches	4-12
Mounting forms	4-2
Multi-speed switches	4-7
ON-OFF switches	4-3
Reversing star-delta	4-6
Reversing switches	4-5
Speed switching	8-57
Star-delta	4-6
Step switches	4-15
Use	4-2
Rotor automatic starter	
Engineering starting resistor	8-13
Properties slipping rotor	8-14
Slipping rotor	8-94
Rotor-critical	8-11
Round cable feeder	2-87
RS-PKZ2	6-18

10 S

Safety position switches	3-12
Safety relay	5-77
Screening	2-35
Screening measures	2-33
Sealing power	5-61
Selectivity → time selectivity	7-14
Semiconductor contactors	2-7
Sensitive to AC/DC	7-18
Sensor belt ZEV	5-68
Separate windings	
Multi speed switch	8-63–8-66
Speeds	8-51
Separation galvanic	5-2
Series resistor	8-100
Shift register	5-53
Short-circuit	6-2
Short-circuit current, maximum	2-89

Alphabetical index

Short-circuit monitoring	5-72, 5-74
Short-circuit protection	8-24
Short-circuit protection, RA-MO	2-88
Short-circuit rating	8-6
Short-circuit release	6-4
Shunt release	
Operating principle schematic PKZ2	6-29
PKZM01, PKZM0, PKZM4	6-9
Remote switch off PKZ2	6-20
Shunt releases	
Circuit-breaker remote tripping	7-3
Circuit-breakers	7-17
Remote switch off	7-9
Signal Towers SL	3-8
Single phase motors	8-4
Single-phasing sensitive	6-4
Slipping rotor → Rotor automatic starter	8-94
Soft starters	2-7
Classification types	2-18
Examples	2-13
Features	2-12
Soft starters DM4	2-22
Soft starters DS4	2-19
Soft starting → Soft starters	2-7
Special purpose relays	5-8
Speed control unit	2-93
Speeds, separate windings	8-51
Spring rod actuator	3-10
Spring terminals	5-61
Stairwell lighting	5-50
Standard auxiliary contact	
On-Off annunciation	7-13
PKZ2	6-21
Star connection	2-4
Star connection, motor	2-75

Alphabetical index

Star-delta	
Bridging during starting	8-8
General	2-5
Marking	8-23
Motor start	2-11
Multi-speed contactor	8-72
Of three-phase motors	8-37-8-45
Rotary switches	4-6
SDAINL	8-39-8-42
With overload relay	8-37
With PKZ2	8-46-8-48
Starting with PKZ2	8-32-8-35
Step switches	
Changeover switches	4-16
ON-OFF switches,	4-16
Stay-put switches	4-16
Sucosoft	1-2
Summation current transformer	5-67
Suppressor	
Diodes	5-4
RC	5-4
Varistor	5-4
Suppressor circuits	5-4
integrated	5-61
Plug-in	5-61
Swiss accident prevention authority (SUVA)	3-10
Switch position indication	4-4
Switch position indication circuit-breaker	7-13
Switch-disconnectors	
ATEX approval	4-18
Mounting forms	4-2
Use	4-2
Switching of capacitors	8-98-8-101
Switching on three-phase motors	8-24-8-31
System-protective circuit-breakers	6-2

Alphabetical index

T

Tapped winding	8-9
3 speeds	8-52
4 speeds	8-53
Feed drive	8-30
Marking	8-23
Multi speed switch	8-59–8-62
Multi speed switch star-delta	8-72–8-86
Pole-changing motors	8-51
Tapped winding arrangement	
Rotary switches	4-7–4-10
Temperature compensated	6-4
Temperature monitoring	8-11
Terminal assignment	7-22
Terminal assignment, XC100/XC200	1-14
Test authorities and approval stamps	9-32
Text display → xSystem networking	1-11
Text operator panel	1-12
Thermal overload relays	5-64
Thermistor	8-11
Thermistor machine protection device	5-74
Thermistor monitored	5-70
Thermistor motor protection	5-71
Thermistor protection	5-71
Three-phase asynchronous motors	2-3
Three-phase automatic rotor starters	8-94–8-97
Three-phase automatic starters	
Automatic stator starters	8-13
Engineering	8-13
Features	8-14
Rotor automatic starter	8-13
Three-phase automatic stator starters	8-89–8-93
Three-phase motors	2-3
Multi speed switch	8-59–8-66
Three-phase motors star-delta	
Multi speed switch	8-72–8-86
Three-wire control	7-16
Time selectivity circuit-breaker	7-14
Timing relays, functions	5-8
Tool-less	6-5
Touch panel	
→ Embedded HMI-PLC	1-13
→ Touch operator panel	1-12

Alphabetical index

Transformer switch circuit-breaker	7-17
Transformer-protective circuit-breaker	6-5
Trip-indicating auxiliary contact	7-5
PKZ2	6-21
PKZM01, PKZM0, PKZM4	6-8
Trip-indicating auxiliary contact circuit-breaker	7-5
Tripping characteristics	
Motors protection system	5-69
Overload relay	5-65
Tripping CLASS	5-67
Two-wire control	7-16

U

U coil	6-9
U/f inverters → Frequency inverters	2-7
Unbalanced current consumption	5-67
Undervoltage release	
Circuit-breakers	7-17
Interlocking of several circuit-breakers	7-12
Off-delayed	7-4
PKZ2	6-20
PKZM01, PKZM0, PKZM4	6-9
Remote switch off	7-9
Shut off	7-11
Starting interlock	7-11
UPIL	8-59
Use or reactor capacitor	8-16
Utilisation categories for contactors	9-70
Utilisation categories for switch-disconnectors	9-74, 9-75

V

Varistor suppressor	5-4
Vector control	2-29
Vector frequency inverters	2-7
Version E contactor relays	5-3
VHI	7-6
Visualisation with MFD Titan	5-56

Alphabetical index

Voltage releases	
Interlock with undervoltage release	7-12
Off-delayed undervoltage release	7-4
PKZ2	6-20
PKZM01, PKZM0, PKZM4	6-9
Remote switch-off with shunt release	7-9
Shunt releases	7-3
Shut off, undervoltage release	7-11
Starting interlock of the undervoltage release	7-11
Undervoltage release	7-4
Undervoltage release with remote switch off	7-9

W

Wiring diagram	8-18
easy	5-41
Functions easy	5-49
Stairwell lighting	5-50

X

XC modular PLC → Networking	
xSystem	1-11
XC100/XC200	1-14
XC100/XC200 interface assignment	
RS 232	1-15
XI/ON	1-6
XI/ON → I/Oassistant engineering software	1-7
XI/ON modular I/O system	1-6
XOR circuit	5-46
XSoft	1-5
xStart motor starters	1-8
xStart networkable motor starters	1-8
xStart-XS1 network motor starters	1-8
xSystem, system components	1-4

Z

ZEV	5-67-5-73
-----------	-----------

Notes
